

Computational Fluency Progress-Monitoring System for K-6 Mathematics

Grade 3: Teacher





Note: These answer keys are used for both English and Spanish forms.

© 2025 The University of Texas System/Texas Education Agency. Licensed under CC-BY-ND-NC 4.0 International.

		The property of the property o	/ 1	'
90 × 5	467 <u>+ 257</u>	49 ÷ 7	215 + = 345	32 × 3
450	724	7	130	96
48 ÷ 6	767 <u>- 249</u>	40 ÷ = 5	9×7	36 = 64
8	518	8	63	100
80 ÷ 8	690 <u>- 577</u>	955 – 325 – 60	2 × 8	48 ÷ = 12
10	113	570	16	4

write the allower for each	TO PRODIETTI. TI YOU GOTTE KITE	The problem in the pr	The put an A over it and in	Tove to the flext problem.
631 59 <u>+ 176</u>	45 × 9	9 × 10	695 <u>- 564</u>	÷ 4 = 24
866	405	90	131	96
×3=90	166 27 + 190	2 × 3 × 3	35 ÷ 7	3 × 4 × 5
30	383	18	5	60
5 × 7	45 × 3	20 × = 80	23 × 7	580 - 40 + 160
35	135	4	161	700

30 × 8	356 + 189	63 ÷ 9	215 + = 345	41 × 6
<u>× 8</u>	+ 189			<u>× 6</u>
240	545	7	120	246
28 ÷ 4	852 <u>- 344</u>	50 ÷ = 10	4 × 6	46 = 54
7	508	5	24	100
70 ÷ 7	990 <u>- 874</u>	875 – 245 – 60	2 × 4	36 ÷ = 12
10	116	570	8	3

write the answer for each	Triproblem. Ir you don't kin	The property of the property o	This pat all X over it all a lin	ove to the flext problem.
582 68 <u>+ 149</u>	65 <u>× 6</u>	5 × 10	797 <u>- 452</u>	÷ 12 = 5
799	390	50	345	60
×4=80	147 68 <u>+ 180</u>	3×3×3	45 ÷ 5	4 × 4 × 5
20	395	27	9	80
5 × 4	25 × 4	30 × = 90	49 × 7	580 – 40 + 260
20	100	3	343	800

80 × 4	723 <u>+ 177</u>	21 ÷ 7	235 + = 345	54 × 2
320	900	3	110	108
56 ÷ 8	694 <u>- 386</u>	30 ÷ = 3	9 × 6	27 = 73
7	308	10	54	100
40 ÷ 5	660 <u>- 543</u>	795 – 165 – 60	2 × 6	45 ÷ = 15
8	117	570	12	3

vviite tile allswei for each	TI problem. II you don't kin	ow how to work the proble	em, pacan A over icana ii	iove to the next problem.
612 77 + 168	75 × 8	7 × 10	897 <u>- 652</u>	÷ 7 = 13
857	600	70	245	91
×7 = 70	122 98 + 159	4 × 2 × 6	15 ÷ 3	8 × 2 × 3
10	379	48	5	48
5 × 3	65 × 2	10 × = 60	36 × 3	580 – 40 + 360
15	130	6	108	900

	, , , , , , , , , , , , , , , , , , ,		1	
90 × 7	438 + 379	56 ÷ 7	845 + = 985	73 × 2
630	817	8	140	146
12 ÷ 2	361 <u>- 225</u>	20 ÷ = 5	4 × 4	53 = 47
6	136	4	16	100
90 ÷ 9	840 <u>- 722</u>	965 - 335 - 60	0 × 2	48 ÷ = 8
10	118	570	0	6

Write the answer for each	i problem. Il you don't kin	ow how to work the proble	erri, pacarrix over rearra ri	iove to the flext problem.
452 19 <u>+ 144</u>	15 × 6	2 × 10	896 <u>- 653</u>	÷ 7 = 14
615	90	20	243	98
× 2 = 80	119 84 <u>+ 106</u>	2 × 3 × 4	45 ÷ 9	5 × 3 × 3
40	309	24	5	45
1 × 5	15 × 2	20 × = 60	22 × 9	480 - 40 + 160
5	30	3	198	600

	, , , , , , , , , , , , , , , , , , ,			
50 × 4	392 + 359	72 ÷ 9	815 + = 945	62 × 3
200	751	8	130	186
24 ÷ 4	552 <u>- 346</u>	20 ÷ = 10	7 × 9	14 = 86
6	206	2	63	100
60 ÷ 6	740 <u>- 626</u>	975 – 345 – 60	1 × 2	45 ÷ = 3
10	114	570	2	15

Write the answer for each	write the answer for each problem. If you don't know how to work the problem, put an A over it and move to the next problem.				
329 71 <u>+ 117</u>	25 × 7	8 × 10	598 <u>- 421</u>	÷ 6 = 13	
517	175	80	177	78	
× 5 = 50	146 37 + 182	3×2×6	35 ÷ 5	6 × 2 × 6	
10	365	36	7	72	
6 × 5	25 × 3	40 × = 80	17 × 8	480 - 40 + 260	
30	75	2	136	700	

60 × 6	267 + 195	21 ÷ 3	145 + = 265	82 × 4
360	462	7	120	328
18 ÷ 6	731 <u>– 605</u>	10 ÷ = 5	6 × 4	18 = 82
3	126	2	24	100
50 ÷ 5	640 <u>- 528</u>	985 – 355 – 60	9 × 2	42 ÷ = 14
10	112	570	18	3

Write the answer for eac	Triproblem. Ir you don't kin			Tove to the next problem.
250 64 <u>+ 136</u>	35 × 8	10 × 2	695 <u>- 453</u>	÷ 12 = 8
450	280	20	242	96
× 2 = 60	199 17 + 116	2 × 4 × 7	15 ÷ 5	3 × 4 × 6
30	332	56	3	72
5 × 1	35 × 4	50 × = 50	32 × 6	480 - 40 + 360
5	140	1	192	800

70 × 6	474 + 157	63 ÷ 7	285 + = 395	61 × 6
420	631	9	110	366
32 ÷ 8	985 <u>- 756</u>	50 ÷ = 50	7 × 7	22 = 78
4	229	1	49	100
30 ÷ 3	540 <u>- 426</u>	995 – 365 – 60	2×7	48 ÷ = 6
10	114	570	14	8

Write the answer for each	T problem. If you don't kin	The problem in the problem	The pat an A over it and in	Tove to the flext problem.
647 85 <u>+ 125</u>	55 × 9	3 × 10	796 <u>- 342</u>	÷ 13 = 7
857	495	30	454	91
×8=80	187 33 <u>+ 140</u>	3 × 3 × 5	25 ÷ 5	4 × 4 × 6
10	360	45	5	96
5 × 9	45 × 5	80 × = 80	43 × 7	480 - 40 + 460
45	225	1	301	900

40 × 8	414 + 188	24 ÷ 3	365 + = 495	21 × 7
320	602	8	130	147
18 ÷ 2	172 - 124	20 ÷ = 4	8 × 9	26 = 74
9	48	5	72	100
20 ÷ 5	440 - 322	855 – 225 – 60	2 × 9	36 ÷ = 4
4	118	570	18	9

Wille the allower for eac	Ti problem. Ii you don't kiit	Tow to work the proble	The state of the s	The to the next problem.
539 38 + 142	45 × 6	10 × 8	897 <u>– 672</u>	÷ 5 = 19
719	270	80	225	95
×3=60	150 79 + 136	2 × 3 × 8	45 ÷ 3	3 × 4 × 7
20	365	48	15	84
2 × 5	55 × 2	10 × = 70	43 × 5	380 - 40 + 160

30 × 5	317 + 285	36 ÷ 3	435 + = 575	51 × 8
150	602	12	140	408
14 ÷ 2	263 <u>- 137</u>	10 ÷ = 2	9 × 9	34 = 66
7	126	5	81	100
20 ÷ 2	340 <u>- 227</u>	865 – 235 – 60	5 × 2	42 ÷ = 7
10	113	570	10	6

write the answer for each	ii problem. Ii you don't kiii			love to the next problem.
541 25 <u>+ 138</u>	65 <u>× 7</u>	10 × 7	598 - 271	÷ 4 = 18
704	455	70	327	72
×1=30	162 46 + 172	4 × 2 × 7	35 ÷ 7	8 × 2 × 4
30	380	56	5	64
7 × 5	65 × 3	30 × = 60	39 × 7	380 - 40 + 260
35	195	2	273	600

20 × 6	497 + 109	18 ÷ 3	155 + = 275	21 × 9
120	606	6	120	189
16 ÷ 4	478 - 119	10 ÷ = 10	9 × 4	38 = 62
4	359	1	36	100
10 ÷ 2	950 <u>- 834</u>	745 – 115 – 60	2 × 3	39 ÷ = 13
5	116	570	6	3

withe the allower for each	Ti problem. Ii you don't kin	The property of the property o	Em, put an A over it and in	iove to the heat problem.
300 47 + 157	85 × 8	4 × 10	694 <u>- 443</u>	÷ 14 = 3
504	680	40	251	42
× 2 = 40	123 55 <u>+ 134</u>	2 × 4 × 6	45 ÷ 5	6 × 2 × 7
20	312	48	9	84
5 × 2	75 × 4	10 × = 90	28 × 4	380 - 40 + 360
10	300	9	112	700

80 × 3	259 <u>+ 141</u>	36 ÷ 9	515 + = 645	84 × 2
240	400	4	130	168
36 ÷ 6	827 <u>- 618</u>	40 ÷ = 10	8 × 7	42 = 58
6	209	4	56	100
10 ÷ 5	850 - 732	885 – 255 – 60	8 × 2	32 ÷ = 8
2	118	570	16	4

Wille the answer for each	TI Problem. II you don't kin	ow how to work the proble	em, pat an A over it and in	love to the flext problem.
485 53 <u>+ 105</u>	75 × 9	10 × 6	795 <u>- 654</u>	÷ 4 = 22
643	675	60	141	88
×1=40	177 62 + 102	3×3×7	15 ÷ 3	8 × 2 × 4
40	341	63	5	64
3 × 5	85 × 5	20 × = 20	27 × 6	380 - 40 + 460
15	425	1	162	800

80 × 6	499 + 317	18 ÷ 9	555 + = 695	52 × 3
480	816	2	140	156
72 ÷ 8	183 <u>- 155</u>	30 ÷ = 5	6 × 6	57 = 43
9	28	6	36	100
20 ÷ 4	750 <u>- 633</u>	895 – 265 – 60	3 × 2	36 ÷ = 9
5	117	570	6	4

Wille the answer for each	Tr problem. Ir you don't kin	The problem in the problem	em, pacam x over icana m	love to the flext problem.
299 24 + 169	95 <u>× 6</u>	10 × 5	896 <u>- 543</u>	÷ 15 = 5
492	570	50	353	75
×2=20	125 94 <u>+ 114</u>	3×3×8	45 ÷ 9	4 × 4 × 3
10	333	72	5	48
8 × 5	95 × 2	10 × = 50	18 × 8	380 - 40 + 560
	^		<u>× 8</u>	

	J		• •	
60 × 7	385 <u>+ 156</u>	54 ÷ 9	345 + = 465	42 × 4
420	541	6	120	168
16 ÷ 2	913 <u>- 609</u>	20 ÷ = 20	4×7	61 = 39
8	304	1	28	100
30 ÷ 5	650 <u>- 538</u>	945 – 315 – 60	2 × 0	45 ÷ = 9
6	112	570	0	5

ville the answer for each	ii probleiii. Ii you doirt kiit		em, pacam A over icana m	love to the flext problem.
308 39 <u>+ 161</u>	15 × 7	6 × 10	595 <u>- 483</u>	÷ 3 = 19
508	105	60	112	57
×1=50	161 32 + 179	2 × 4 × 8	35 ÷ 5	8 × 2 × 5
50	372	64	7	80
5 × 6	15 × 3	10 × = 80	37 × 4	280 – 40 + 160
30	45	8	148	400

	, , , , , , , , , , , , , , , , , , ,		· · ·	
20 × 8	487 + 348	28 ÷ 7	735 + = 875	31 × 6
160	835	4	140	186
24 ÷ 6	845 <u>- 528</u>	50 ÷ = 25	6 × 7	67 = 33
4	317	2	42	100
40 ÷ 8	550 <u>- 437</u>	765 – 135 – 60	6 × 2	28 ÷ = 7
5	113	570	12	4

write the answer for eac	ii probleiii. Ii you doiit kiid	ow now to work the proble	em, put an A over it and in	love to the flext problem.
622 90 <u>+ 109</u>	25 × 8	10 × 4	697 <u>- 362</u>	÷ 6 = 14
821	200	40	335	84
×3=30	139 12 <u>+ 165</u>	3×3×6	15 ÷ 5	5 × 3 × 5
10	316	54	3	75
4 × 5	55 × 4	90 × = 90	44 × 5	280 - 40 + 260
20	220	1	220	500

30 × 4	425 + 175	42 ÷ 7	415 + = 535	21 × 6
120	600	6	120	126
36 ÷ 4	250 <u>– 102</u>	30 ÷ = 6	7 × 8	71 = 29
9	148	5	56	100
30 ÷ 6	450 <u>- 336</u>	775 – 145 – 60	2 × 5	42 ÷ = 3
5	114	570	10	14

vviite the answer for each	write the answer for each problem. If you don't know how to work the problem, put an A over it and move to the next problem.				
556 14 <u>+ 130</u>	35 × 9	10 × 3	895 <u>- 463</u>	÷ 6 = 16	
700	315	30	432	96	
×1=70	180 73 <u>+ 178</u>	2 × 3 × 5	25 ÷ 5	6 × 2 × 8	
70	431	30	5	96	
9 × 5	25 × 5	40 × = 40	24 × 3	280 - 40 + 360	
45	125	1	72	600	

40 × 6	457 + 264	27 ÷ 9	605 + = 725	41 × 8
240	721	3	120	328
12 ÷ 6	394 <u>- 275</u>	30 ÷ = 15	8 × 8	73 = 27
2	119	2	64	100
40 ÷ 4	350 - 235	785 – 155 – 60	4 × 2	36 ÷ = 3
10	115	570	8	12

401 58 <u>+ 192</u>	55 × 6	10 × 9	596 <u>- 352</u>	÷ 5 = 13
651	330	90	244	65
× 6 = 60	194 49 <u>+ 160</u>	2 × 3 × 6	45 ÷ 3	3 × 4 × 8
10	403	36	15	96
5 × 8	45 × 2	30 × = 90	37 × 2	280 - 40 + 460
40	90	3	74	700

50 × 3	295 <u>+ 117</u>	27 ÷ 3	605 + = 725	71 × 9
150	412	9	120	639
48 ÷ 8	725 <u>- 308</u>	30 ÷ = 10	8 × 4	77 = 23
6	417	3	32	100
80 ÷ 8	960 <u>- 848</u>	845 – 215 – 60	2 × 1	39 ÷ = 3
10	112	570	2	13

vviite tile allsvvei fol eac	ii probleiii. Ii you doiit kiii	SW HOW to Work the probit	em, put an A over it and m	iove to the flext problem.
375 49 <u>+ 126</u>	45 × 7	9 × 10	596 <u>- 361</u>	÷ 3 = 18
550	315	90	235	54
×1=80	153 81 + 109	2 × 3 × 7	35 ÷ 7	4 × 4 × 4
80	343	42	5	64
5 × 5	55 × 3	30 × = 30	19 × 9	280 - 40 + 560
25	165	1	171	800

, , , , , , , , , , , , , , , , , , ,			
397 <u>+ 308</u>	81 ÷ 9	665 + = 785	93 × 2
705	9	120	186
446 - 219	40 ÷ = 20	4×8	82 = 18
227	2	32	100
860 <u>- 149</u>	755 – 125 – 60	7 × 2	27 ÷ = 9
711	570	14	3
	397 + 308 705 446 - 219 227 860 - 149	$ \begin{array}{c c} $	$\frac{397}{\pm 308}$ $81 \div 9$ $665 + \underline{} = 785$ 705 9 120 $\frac{446}{-219}$ $40 \div \underline{} = 20$ 4×8 2 2 32 $\frac{860}{-149}$ $755 - 125 - 60$ 7×2

210 75 + 155	65 × 8	5 × 10	697 - 372	÷ 2 = 36
440	520	50	325	72
×9=90	121 59 + 142	3 × 2 × 5	45 ÷ 5	5 × 3 × 4
10	322	30	9	60
5 × 7	65 × 4	10 × = 20	23 × 8	680 - 40 + 260

478 + 299	15 ÷ 3	635 + = 765	83 × 3
777	5	130	249
637	40 ÷ = 40	6 × 8	87 = 13
	1	48	100
760 <u>- 647</u>	735 – 105 – 60	2 × 10	48 ÷ = 16
113	570	20	3
	777 637 - 319 318 760 - 647	777 5 637 -319 40 ÷ = 40 318 1 760 -647 735 - 105 - 60	777 5 130 637 - 319 40 ÷ = 40 6 × 8 318 1 48 760 - 647 735 - 105 - 60 2 × 10

Wife the answer for each	ii problem. Ii you don't kin	The property of the property	erri, pacarrix over rearrain	iove to the next problem:
363 86 <u>+ 113</u>	85 × 9	7 × 10	798 <u>- 541</u>	÷ 5 = 17
562	765	70	257	85
×1=90	192 64 <u>+ 154</u>	4 × 2 × 8	15 ÷ 3	5 × 3 × 6
90	410	64	5	90
5 × 4	75 × 5	10 × = 30	42 × 5	680 - 40 + 160
20	375	3	210	800

90 × 9	334 + 289	12 ÷ 3	875 + = 995	72 × 4
810	623	4	120	288
64 ÷ 8	598 - 329	40 ÷ = 4	7 × 6	24 = 76
8	269	10	42	100
90 ÷ 9	680 <u>- 564</u>	835 – 205 – 60	10 × 2	32 ÷ = 16
10	116	570	20	2

Willie the driswer for each	The problem in you don't kin	The problem of the problem	The state of the s	Tove to the flext problem.
499 63 <u>+ 100</u>	75 × 6	2 × 10	597 - 262	÷ 3 = 26
662	450	20	335	78
× 4 = 40	105 25 + 175	3 × 3 × 4	45 ÷ 9	6 × 2 × 7
10	305	36	5	84
5 × 3	85 × 2	10 × = 40	47 × 7	780 – 40 + 160
15	170	4	329	900